

#### METER · MIX · DISPENSE

## **dynamicLine E** STANDALONE SOLUTION FOR GASKETING, BONDING, POTTING



. . . . . . . . . .

# Reliable and economical

Standalone solution for gasketing, bonding, potting

With our dynamicLine E you can start dynamic mixing fast and convenient: The system was designed as a standalone solution and includes two cell sizes with 3-axis linear robot. Benefit from our new "plug-and-play system" which is immediately ready for operation with little preparation. The compact design requires only a very little floor space: It fits in every production hall and can be transported as a whole. With the automated turnkey solution, you can easily realize all relevant dynamic mixing applications in one smooth production process – from foam sealing, to bonding and potting.

#### Your advantages

- Receive everything from a single source: One contact person looks after you from consultation to delivery
- Fully automated application without user intervention
- Reproducible quality in high quantities
- Documentation-capable production of safetyrelevant components
- Global sales and service network
- Remote maintenance



dynamicLine E - specialized on the production of foam gaskets in control cabinets



# <u>dynamicL</u>jne E

One cell size with XYZ Linearrobot	X 2500 mm Y 1250 mm Z 250 mm
Options	<ul> <li>Interchangeable manual shuttle table</li> <li>Automatic refilling for all components</li> <li>Tempered control cabinet unit</li> <li>Tempered material supply</li> </ul>
Power supply	400V AC, 3ph, 50Hz, 13.0 kW (excluding optional cabinet air conditioning)
Air supply	7.0 bar
Control unit	Siemens with handheld HMI (7 in) Optionally: tempered controlunit
Number of components	2
Material supply	45/24 l
	(A-Component with air loading and agitation)
Flowrate	0,5 – 5 g/s (for compact cell can go upto 15g/sec)
Mixing head	<ul> <li>3 basic sizes + several chamber/ mixersizes</li> <li>Up to 3.000 rpm</li> <li>2 components</li> <li>Manually controlled materialpressure</li> <li>NCS nozzle closing system</li> </ul>
Mixer cleaning	HP-waterflushing
Motion control	Siemens
Velocity	up to 30.0 m/min
Acceleration	2.0 m/s <sup>2</sup>
Radius performance	<ul> <li>3.0 mm at 4.6 m/min</li> <li>5.0 mm at 6.0 m/min</li> </ul>



We are one of the world's most experienced manufacturers of high-quality metering technology. Wherever adhesives, resins, silicones or lubricants are metered and applied in industrial production, we offer reliable, precise solutions. We provide systems and components for highly automated production processes, including for the automotive, wind, household appliances and electrical industries, as well as for aviation. DOPAG is part of the HILGER & KERN GROUP, a reliable supplier and a development and service partner to industrial companies in a variety of market segments for more than 90 years. The group employs around 350 people and has subsidiaries and distributors in more than 40 countries.



### Global sales and service network

Find your local DOPAG contact

#### • • • • • • • • • • •

**DOPAG China** Shanghai office@dopag.cn www.dopag.cn

DOPAG India Bangalore sales@dopag.in www.dopag.in

DOPAG Nordic Göteborg info@dopag-nordic.com www.dopag-nordic.com DOPAG Eastern Europe Prague

info@dopagcz.com www.dopagcz.com

DOPAG Italy Alpignano (Turin) info@dopag.it www.dopag.it

DOPAG Switzerland Cham

info@dopag.ch www.dopag.ch DOPAG France Valence contact@dopag.fr www.dopag.fr

DOPAG Korea Seoul info@dopag.co.kr www.dopag.co.kr

**DOPAG UK** Droitwich

uksales@dopag.com www.dopag.co.uk **DOPAG Germany** Hilger und Kern, Mannheim

info@dopag.de www.dopag.de

**DOPAG Mexico** 

Saltillo, Coahuila sales@dopag.mx www.dopag.mx

DOPAG USA Erlanger, Kentucky ussales@dopag.com www.dopag.us

We're present in more than 40 countries. Find your local sales partner here: <a href="http://www.dopag.com/contacts">www.dopag.com/contacts</a>

